



# TERRAFORCE®

The original, reversible, hollow core retaining block




V10 STANDARD



V10 ROCKFACE



Block	V10
Blocks/m <sup>2</sup> (Measured vertically)	10
Block mass/kg (Average)	25
Block infill volume/m <sup>3</sup>	0.011
Block wall thickness mm	45
<b>Ave. constr. mass kg per m<sup>2</sup> of wall. Single Skin</b>	<b>390</b>
Wall width	450mm
-	
-	



V10 CORNER






# TERRAFORCE®

The original, reversible, hollow core retaining block




## Composite Retaining Wall (Earth Reinforcement with Geogrid)




**V10 BLOCK**  
**COMPOSITE RETAINING WALL**  
(EARTH REINFORCED WITH GEOGRID)

TERRAFORCE blocks have been substantially tested and analysed under field and laboratory conditions and are manufactured under licence by reputable manufacturers on five continents.

The blocks can be used as part of either a gravity system or as the fascia of a geosynthetic reinforced segmental retaining wall structure or as a fascia for a cement stabilized backfill.




LIGHT GRAVITY WALL



MASS GRAVITY WALL



COMPOSITE STRUCTURE



VERTICAL R.C. FILLED WALL





# TERRAFORCE®

The original, reversible, hollow core retaining block



RECENTLY INSTALLED V10 ROCK FACE FINISH WALL

